Common Complaints of Pregnancy

Nausea and Vomiting

Nausea and vomiting, often called hyperemesis or morning sickness, may occur in the early months of pregnancy. It is a result of your body adjusting to the higher hormone levels of pregnancy. If you experience this discomfort, here are some things you can try.

- Eat dry crackers, toast, or cereal before getting out of bed or whenever the feeling starts
- Eat 5 to 6 small meals each day so your stomach does not get empty
- Avoid the sight, smell, and taste of foods that make you sick
- Eat easy to tolerate foods such as baked, skinless chicken, noodles, baked potatoes, applesauce, and gelatin.
- Take your prenatal vitamins and minerals when you don't feel sick
- Avoid drinking liquids with meals
- Try acupuncture; this works for many women. Also, acupressure wrist bands may help
- Avoid off-the-shelf medications
- Ask your doctor or nurse about the use of Vitamin B_c

Call your doctor or nurse if you are throwing up a lot, feel faint, or throw up blood

Remember, the nausea will pass!

Heartburn

Heartburn can be a problem in the last month of pregnancy. As your baby grows, there is more pressure on the stomach, which may cause stomach acids to be pushed upwards. The following tips may help:

- Avoid greasy, fried, or spicy foods, or drinks with caffiene
- Try drinking chamomile tea
- Eat small portions, but eat more often
- Do not lie down just after eating; instead sit upright for at least one hour
- Wear loose, comfortable clothing
- Check with your doctor or nurse before using antacids
- Try drinking lower fat or skim milk



Constipation

The hormones during pregnancy can slow down the movement of your intestinal system. Also, near the end of pregnancy your growing baby can put pressure on your intestines and cause them to slow down. To prevent constipation, you should:

- Eat more foods high in fiber, such as vegetables and fruits (including dried fruit), whole grain breads, corn tortillas, brown rice, bran muffins, and bran cereals. The list below has more ideas for foods high in fiber.
- Drink more water and other liquids, such as fruit and vegetable juices
- Drinking a cup of hot water three times per day may be helpful
- Be active every day. Walking is especially good
- Avoid holding back the urge to have a bowel movement.
- Avoid taking laxatives

Note: If constipation is severe, ask your doctor or nurse about a stool softener

Fiber-Rich Foods

Shredded Wheat Apple (with skin) Lima beans Almonds Navy beans Sweet potatoes **Apricrots** Oranges Sunflower seeds Broccoli Pears (with skin) Split peas Baked beans Peas Turnip greens Bran Chex Whole wheat pasta Prunes Wheaties Brussel Sprouts Peanuts Carrots Peaches (with skin) 100% Bran Flakes Corn Pineapple Corn Bran Potatoes (with skin) Raisins Figs Kiwi Fruit Raisin Bran Kidney Beans Raspberries Lentil Beans Strawberries







Dear Colleague,

The Washington State Department of Health (DOH) is pleased to provide cameraready art for printing this educational material. To ensure that the original quality of the piece is maintained, please read and follow the instructions below and the specifications included for professional printing.

- Use the latest version. DOH materials are developed using the most current information available, are checked for clinical accuracy, and are field tested with the intended audience to ensure they are clear and readable. DOH programs make periodic revisions to educational materials, so please check this web site to be sure you have the latest version. DOH assumes no responsibility for the use of this material or for any errors or omissions.
- **Do not alter**. We are providing this artwork with the understanding that it will be printed without alterations and copies will be free to the public. Do not edit the text or use illustrations or photographs for other purposes without first contacting us. Please do not alter or remove the DOH logo, publication number or revision date. If you want to use a part of this publication for other purposes, contact the Office of Health Promotion first.
- For quality reproduction: Low resolution PDF files are intended for black and white or color desktop printers. They work best if you are making only one or two copies. High resolution PDF files are intended for reproducing large quantities and are set up for use by professional offset print shops. The high resolution files also include detailed printing specifications. Please match them as closely as possible and insist on the best possible quality for all reproductions.

If you have questions, contact:
Office of Health Promotion
P.O. Box 47833 Olympia, WA 98504-7833
(360) 236-3736

Sincerely, Health Education Resource Exchange Web Team